

120
YEARS

Portable Diesel Compressors

160 - 1350 CFM



People. Passion. Performance.

 Chicago
Pneumatic

Benefits:



Features:

- Side-access service and centralized drain system.
- Extended-use fuel tank.
- Intuitive control panel.
- Compact design.
- High-efficiency screw element.
- Simplified Oil Separator Tank (Vessel Cover).
- User-friendly servicing.

Technical Data:

Model	Air flow (cfm)*	Working pressure (psig)	Max engine speed (rpm)	Capacity fuel tank (l)	Capacity Oil Capacity (l)	L x W x H (mm)	Dry Weight (kg)	Engine Make	Engine model	Engine (HP)	
CPS 160S	160	102	2700	37	11	2705 x 1500 x 1435	950	M & M	MDI 1895 B	40	
CPS 300-100	300	102	2300	100	19	Portable 3305 x 1680 x 1983 Skid Mounted 2175 x 1180 x 1529	1360	Ashok Leyland	AL W04D	80	
CPS 370-125	370	125	2400	100	22		1440		Hino	AL W04CT	111
CPS 400-100	400	102	2400	100	22		1440				
CPS 400-150	425	150	2400	150	23.5	Portable 3600 x 1735 x 1825 Skid Mounted 2631 x 1357 x 1580	Portable 1720 Skid Mounted 1520		AL HA4CTI Inline FIP	130	
CPS 425-125	425	125	2400	150	23.5						
CPS 450-200	450	200	2200	190	35	Portable 3980 x 1960 x 2256 Skid Mounted 2985 x 1504 x 1919	Portable 2100 Skid Mounted 1890	Ashok Leyland	AL UW6DTI	170	
CPS 500-175	500	175	2200	190	35					205	
CPS 550-150	550	150	2200	190	35					220	
CPS 650-100	650	102	2200	190	35					315	
CPS 550-200	550	200	2100	190	35				A6		
CPS 575-225	575	225	1950	190	35						
CPS 850-290	850	290	1800	-	80	3360x1600x2370	3650	Cummins	NTA855C-BC	395	
CPS 1000-275	1000	275	1800	-	72	Skid Mounted 3942 x 1600 x 2465	4100			415	
CPS 1100-300	1100	300	1800	-	72						430
CPS 1200-330	1200	330	1900	-	72					585	
CPS 1350-425	1250	362/425	1950	-	80	3750x2102x2256	5318			KTA-1150-C	

Specification are subject to change, without prior notice
 *according to ISO1217 ed.3 1996 annex D
 Fuel Tank Available only for Portable Version



- 2/3/4/5/6 Jack Hammer Drilling Application
Sand Blasting / Surface Preparation Application
Ash Handling Application
CPS 300 - 100
CPS 400 - 100
CPS 650 - 100
CPS 550 - 150
- Sand Blasting / Surface Preparation Application/ LD4 drilling application/ Shortcrete Application
CPS 370 - 125
CPS 400 - 150
- Crawler Drilling Application for mining and stone quarry
Water Well Drilling application For - 3" to 5.5" dia
CPS 450 - 200
CPS 500 - 175
CPS 550 - 150
CPS 550-200
CPS 575 - 225
- Coal Overburden Removal
CPS 550-200
CPS 575-225
CPS 850-290
- Water Well drilling Application - 6.5" to 12" dia
CPS 850 - 290
CPS 1100-300
CPS 1200-330
CPS 1350-425
- Pigging Application
Reverse Circulation Drilling Application
CPS 550 - 200
CPS 850 - 290
CPS 1100-300



People. Passion. Performance.

LOCATION	MOBILE NUMBER	E-MAIL ID
Ahmedabad	95 4904 8482	ramakrishna.mishra@cp.com
Bangalore	84 8493 6902	jithin.chandran1@cp.com
Chennai	84 8493 6902	jithin.chandran1@cp.com
Gurgaon	84 2019 5843	biswajit.deb@cp.com
Kolkata	84 2019 5841	raju.sarma@cp.com
Pune	96 0790 6819	abhishek.shrivastav@cp.com
Ranchi	80 5187 0991	gaurav.pandey@cp.com
Hyderabad	77 0255 5320	mvn.raju@cp.com
Udaipur	95 4904 8482	ramakrishna.mishra@cp.com



ISO 9001:2015, ISO 45001:2018, ISO 14001:2015

For more information, please contact your CP partner:

For Product enquiries: cpcesales.india@cp.com

For Service support : cpceservice.india@cp.com

Reach Us @ **1800 120 110040**

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.